

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L20	3	725/105-153.ccls. and store adj2 forward and best adj effort	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:50
L21	37	725/105-153.ccls. and ((guarantee\$3 acknowledg\$5 confirm\$5) with (delivery deliver\$3 receiv\$3 reception) store adj2 forward) and ((non\$1guarantee\$3 unconfirm\$5) with (delivery deliver\$3 receiv\$3 reception) best adj effort)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:50
L22	12	21 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:50
S1	43	(set\$1top) same (message command directive notify notification) with (download\$3 retriev\$3 transfer\$4 install\$5) with (file content advertisement multimedia movie on\$1demand)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:46
S2	14	S1 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 13:28
S3	2750	(set\$1top) and (message command directive notify notification) same (download\$3 retriev\$3 transfer\$4 install\$5) same (file content advertisement multimedia movie on\$1demand)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 13:29
S4	5	(set\$1top) and (router server) same (store adj2 hold)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 13:28

EAST Search History

S5	3	S4 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 13:38
S6	224	(set\$1top) and (message command directive notify notification) same (download\$3 retriev\$3 transfer\$4 install\$5) same (file content advertisement multimedia movie on\$1demand) same (router server) and (qos quality adj2 service)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 13:41
S7	101	S6 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 14:16
S8	228	(set\$1top) and (message command directive notify notification) same (download\$3 retriev\$3 transfer\$4 install\$5) same (file content advertisement multimedia movie on\$1demand) same (router server head\$1end) and (qos quality adj2 service)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 14:12
S9	9	(set\$1top) and (message command directive notify notification) same (download\$3 retriev\$3 transfer\$4 install\$5) same (file content advertisement multimedia movie on\$1demand) same (router server head\$1end) and (qos quality adj2 service) same (guarantee\$3 with (deliver\$3 receiv\$3 reception))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 14:17
S10	3	S9 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 14:18

EAST Search History

S11	102	(set\$1top) and (message command directive notify notification) same (download\$3 retriev\$3 transfer\$4 install\$5) same (file content advertisement multimedia movie on\$1demand) same (router server head\$1end) and (guarantee\$3 with (deliver\$3 receiv\$3 reception))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 14:17
S12	314	(set\$1top) and (download\$3 retriev\$3 transfer\$4 install\$5) same (file content advertisement multimedia movie on\$1demand) same (router server head\$1end) and (guarantee\$3 with (deliver\$3 receiv\$3 reception))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 14:54
S13	162	S12 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 14:54
S14	53	("5099319" "5109384" "5220674" "5481542" "5515098" "5539449" "5580177" "5583563" "5636346" "5646676" "5724521" "5740549" "5774170" "5818438" "5819036" "5838927" "5848397" "5892508" "5915243" "5916307" "5919247" "5940074" "5940074" "5951639" "5961602" "5974461" "5978381" "5983353" "6002393" "6009409" "6018766" "6026368" "6038561" "6067529" "6075971" "6084628" "6119098" "6133912" "6166730" "6182050" "6208870" "6247012" "6293865" "6317116" "6317761" "6351747" "6434535" "6434747" "6446261" "6480801" "6493770" "6567854" "6603769" "6629145").PN.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 14:53
S15	52	S14 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 15:48

EAST Search History

S16	5	S15 and (guarantee\$3 with (deliver\$3 receiv\$3 reception))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:12
S17	26	S15 and (embedded set\$1top)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 14:58
S18	47	("4633430" "5003591" "5181107" "5388211" "5440632" "5446490"). PN. OR ("5583563").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2007/05/25 15:06
S19	43	bulk adj data near transfer\$4 with (module program means)	US-PGPUB ; USPAT; USOCR	OR	ON	2007/05/25 15:06
S20	52	S15 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 15:55
S21	40	S20 and (set\$1top client embedded)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:14
S22	23	S19 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 15:49
S23	41	("5583563").URPN.	USPAT	OR	ON	2007/05/25 15:55
S24	33	S23 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:11
S25	1290	(attempt\$3 try\$3) with (deliver\$3 send\$3) with (regardless without)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:10

EAST Search History

S26	60	(attempt\$3 try\$3) with (deliver\$3 send\$3) with (regardless without) with (client set\$1top)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:12
S27	7	S26 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:12
S28	108	non\$1guarantee\$3 with (deliver\$3 receiv\$3 reception)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:12
S29	50	S28 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:50
S30	12398	(guid global\$2 near unique independent with protocol) and (set\$1top client embedded)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:14
S31	1052	(global\$2 near unique independent with protocol) with (set\$1top client embedded)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:15
S32	357	S31 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:15
S33	528	(global\$2 adj unique independent adj3 protocol) with (set\$1top client embedded)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:18

EAST Search History

S34	132	S33 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:19
S35	308	(global\$2 adj unique with (identifier address)) with (set\$1top client embedded)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:18
S36	70	S35 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:01

EAST Search History

S37	494	("3848193" "3987398" "4170782" "4186413" "4224644" "4287592" "4288809" "4305101" "4307446" "4338644" "4347498" "4381522" "4405946" "4429385" "4476488" "4488179" "4536791" "4575579" "4641205" "4677466" "4691351" "4691354" "4701794" "4706121" "4751578" "4751669" "4768110" "4775935" "4815030" "4821102" "4823122" "4829569" "4866700" "4868866" "4873662" "4890321" "4908707" "4908713" "4974149" "4975904" "4975905" "4977455" "4987486" "4991011" "4994908" "5001554" "5008853" "5053889" "5058108" "5075771" "5077607" "5099319" "5105184" "5133075" "5151789" "5182640" "5187787" "5200823" "5220420" "5220657" "5230048" "5231493" "5261042" "5283639" "5283731" "5285272" "5301028" "5305195" "5319707" "5337155" "5339239" "5343300" "5345594" "5347632" "5355480" "5357276" "5404505" "5440262" "5471629" "5498003" "5511160" "5515098" "5528490" "5537586" "5557721" "5577266" "5579537" "5583563" "5600366" "5617565") . PN. OR ("5740549").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2007/05/25 16:27
S38	404	("5740549").URPN.	USPAT	OR	ON	2007/05/25 16:29
S39	5	(set\$1top) with (push\$3) with (update advertisement content application)	USPAT	OR	ON	2007/05/25 16:30

EAST Search History

S40	167	("3848193"	"3987398"	US-PGPUB	OR	ON	2007/05/25
		"4170782"	"4186413"	; USPAT;			16:43
		"4224644"	"4287592"	USOCR			
		"4288809"	"4305101"				
		"4307446"	"4338644"				
		"4347498"	"4381522"				
		"4405946"	"4429385"				
		"4476488"	"4477695"				
		"4488179"	"4519029"				
		"4536791"	"4575579"				
		"4587514"	"4602279"				
		"4641205"	"4645873"				
		"4677434"	"4677466"				
		"4691351"	"4691354"				
		"4701794"	"4703423"				
		"4706121"	"4722005"				
		"4745559"	"4751578"				
		"4751669"	"4768110"				
		"4775935"	"4788682"				
		"4814972"	"4815030"				
		"4821102"	"4823122"				
		"4829569"	"4866700"				
		"4868866"	"4873662"				
		"4890321"	"4899394"				
		"4908707"	"4908713"				
		"4974149"	"4975904"				
		"4975905"	"4977455"				
		"4987486"	"4987496"				
		"4991011"	"4992940"				
		"4994908"	"4994909"				
		"5001554"	"5008853"				
		"5053883"	"5058108"				
		"5075771"	"5077607"				
		"5091936"	"5099319"				
		"5105184"	"5131020"				
		"5133075"	"5151789"				
		"5177680"	"5182640"				
		"5187787"	"5200823"				
		"5220420"	"5220501"				
		"5220657"	"5230048"				
		"5231493"	"5261042"				
		"5265033"	"5276869"				
		"5283639"	"5283731"				
		"5285272"	"5301028"				
		"5305195"	"5319455"				
		"5319707"	"5321750"				
		"5327554"	"5337155"				
		"5339239"	"5343300"				
		"5345594"	"5347632"				
		"5353218"	"5355480"				
		"5355490"	"5357276"				
		"5361393"	"5379383"				
		"5379421"	"5404505"				
		"5414773"	"5426427"				
		"5426594"	"5428606"				
		"5434978"	"5438355"				
		"5442771"	"5446919"				
		"5448262"	"5465401"				
		"5471629"	"5473143"				
		"5475740"	"5479472"				
		"5483466"	"5485370"				
		"5491820"	"5493677"				
		"5498003")	.PN. OR				
May.25.2007 6:52:46 PM		"5511160"	"5512935"				Page 8
C:\Documents and Settings\gneara\My Documents\		"5515098"	"5517605"				
		"5524146"	"5528490"				
		"5537586"	"5557721"				

EAST Search History

S41	1	S40 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225") and (detect\$3 determin\$3) with (client set\$1top) with (on on\$1line active\$2 awake)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:47
S42	430	(@ad<"20000225" @pd<"20000225" @rlad<"20000225") and (detect\$3 determin\$3) with (client set\$1top) with (on on\$1line active\$2 awake)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:45
S43	504	(@ad<"20000225" @pd<"20000225" @rlad<"20000225") and (detect\$3 determin\$3 track\$3) with (client set\$1top) with (on on\$1line active\$2 awake)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:27
S44	19249	(set\$1top client) with (download\$3 retriev\$3 transfer\$4 install\$5) with (content advertisement multimedia movie on\$1demand application update)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:14
S45	160	S43 and S44	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:47
S46	132	S45 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225") and (detect\$3 determin\$3) with (client set\$1top) with (on on\$1line active\$2 awake)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:47
S47	31	S46 and ((guarantee\$3 non\$1guarantee\$3 acknowledg\$5) with (delivery deliver\$3 receiv\$3 reception))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 16:50
S48	39	S46 and ((guarantee\$3 non\$1guarantee\$3 acknowledg\$5 confirm\$5) with (delivery deliver\$3 receiv\$3 reception))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:18
S49	106	("5440632").URPN.	USPAT	OR	ON	2007/05/25 17:01

EAST Search History

S50	92	S49 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:12
S51	823	set\$1top and sms	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:09
S52	7	set\$1top and "store and" adj forward\$3	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:13
S53	6	S52 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:15
S54	6	(set\$1top client) with (download\$3 retriev\$3 transfer\$4 install\$5) with (content advertisement multimedia movie on\$1demand application update) and ("store and forward")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:15
S55	27	(download\$3 retriev\$3 transfer\$4 install\$5) with (content advertisement multimedia movie on\$1demand application update) and ("store and forward")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:19
S56	24	S55 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:19
S57	0	(@ad<"20000225" @pd<"20000225" @rlad<"20000225") and (detect\$3 determin\$3 track\$3) with (client set\$1top) with (on on\$1line active\$2 awake) and "store and forward"	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:18

EAST Search History

S58	3346	stor\$3 adj2 forward\$3 and ((guarantee\$3 non\$1guarantee\$3 acknowledg\$5 confirm\$5) with (delivery deliver\$3 receiv\$3 reception))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:26
S59	1826	S58 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:25
S60	970	(download\$3 retriev\$3 transfer\$4 install\$5) with (content advertisement multimedia movie on\$1demand application update) and S59	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:20
S61	105	S60 and (set\$1top)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:20
S62	3788	(stor\$3 adj2 forward\$3). bsum.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:25
S63	1367	(stor\$3 adj2 forward\$3 with (message packet command)). bsum.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:38
S64	694	S63 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:33
S65	117	((guarantee\$3 non\$1guarantee\$3 acknowledg\$5 confirm\$5) with (delivery deliver\$3 receiv\$3 reception)). bsum. and S64	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:44

EAST Search History

S66	20	S65 and (on on\$1line active\$2 awake).bsum.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:28
S67	1	S65 and (global\$2 adj unique) with identifier	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:33
S68	26	S62 and (global\$2 adj unique) with identifier	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:33
S69	4	S68 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:39
S70	84	(stor\$3 adj2 forward\$3 with (message packet command)) and best adj effort and ((guarantee\$3 non\$1guarantee\$3 acknowledg\$5) with (delivery deliver\$3 receiv\$3 reception))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:39
S71	47	S70 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:41
S72	8	(stor\$3 adj2 forward\$3 with (message packet command)) same best adj effort	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:40
S73	30	stor\$3 adj2 forward\$3 same best adj effort	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:50

EAST Search History

S74	3	S73 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:45
S75	904	((guarantee\$3 acknowledg\$5 confirm\$5) with (delivery deliver\$3 receiv\$3 reception) store adj2 forward) same ((non\$1guarantee\$3 unconfirm\$5) with (delivery deliver\$3 receiv\$3 reception) best adj effort)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:50
S76	329	S75 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:46
S77	369	((guarantee\$3 acknowledg\$5 confirm\$5) with (delivery deliver\$3 receiv\$3 reception) store adj2 forward) same ((non\$1guarantee\$3 unconfirm\$5) with (delivery deliver\$3 receiv\$3 reception) best adj effort).bsum.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:08
S78	125	S77 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:51
S79	24	store adj2 forward\$3 same best adj effort	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:50
S80	244	store adj2 forward\$3 and best adj effort	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:50

EAST Search History

S81	130	S80 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:55
S82	98	qos with rout\$3 and set\$1top	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:56
S83	65212	"820" and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:55
S84	18	S82 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:02
S85	0	qos with rout\$3 and best adj effort same (stor\$3 queue\$3) with (message packet command) with (on on\$1line active)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 17:58
S86	5	best adj effort same (stor\$3 queue\$3) with (message packet command) with (on on\$1line active)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:00
S87	209	queue same best adj effort same (inactive off\$1line guaranteed assured)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:07
S88	26	S87 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:10

EAST Search History

S89	19	best adj effort same (inactive off\$1line) same (message command packet)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:07
S90	326	((guarantee\$3 acknowledg\$5 confirm\$5) with (delivery deliver\$3 receiv\$3 reception) store adj2 forward) same ((non\$1guarantee\$3 unconfirm\$5) with (delivery deliver\$3 receiv\$3 reception) best adj effort) same (acknowledg\$5 confirm\$5)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:09
S91	335	((guarantee\$3 acknowledg\$5 confirm\$5 assure\$1) with (delivery deliver\$3 receiv\$3 reception) store adj2 forward) same ((non\$1guarantee\$3 unconfirm\$5 unassure\$1) with (delivery deliver\$3 receiv\$3 reception) best adj effort) same (acknowledg\$5 confirm\$5)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:23
S92	119	S91 and (@ad<"20000225" @pd<"20000225" @rlad<"20000225")	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:10
S93	19	((guarantee\$3 acknowledg\$5 confirm\$5 assure\$1) with (delivery deliver\$3 receiv\$3 reception)) same ((non\$1guarantee\$3 unconfirm\$5 unassure\$1) with (delivery deliver\$3 receiv\$3 reception)) same (acknowledg\$5 confirm\$5) with (wait\$3 await\$3)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/05/25 18:24